



# SAFETY DATA SHEET

PINJA COLOR OIL

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : PINJA COLOR OIL  
Product code : 439-s  
Product description : A waterborne translucent wood finish.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Painting work

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer or Distributor

Tikkurila Oyj  
P.O. Box 53  
FI-01301 VANTAA  
FINLAND  
Telephone +358 20 191 2000

e-mail address of person responsible for this SDS : Tikkurila Oyj,  
Product Safety,  
e-mail: productsafety@tikkurila.com

### 1.4 Emergency telephone number

Telephone number : 112  
(24h)

#### Supplier or Manufacturer

Telephone number : Tikkurila Oyj  
+358 20 191 2000 Mon-Fri 8-16

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Classification according to Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

### 2.2 Label elements

Signal word : No signal word.

Hazard statements : H412 - Harmful to aquatic life with long lasting effects.

#### Precautionary statements

General : Not applicable.

Prevention : P273 - Avoid release to the environment.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

**Supplemental label elements** : Contains 2-hydroxyethyl methacrylate, cobalt bis(2-ethylhexanoate), 3-iodo-2-propynyl butylcarbamate and 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.  
Wear protective gloves.

### 2.3 Other hazards

**Other hazards which do not result in classification** : **Risk of self-ignition!** Cleaning rags and paper wipes, sanding dust and overspray containing the product, may spontaneously self-ignite some hours later. Waste should be placed in a metal container filled with water and sealed before disposal, or dried preferably outdoors or incinerated immediately.

## SECTION 3: Composition/information on ingredients

**3.2 Mixtures** : Mixture

| Product/ingredient name               | Identifiers   | %           | Classification   |  | Notes |
|---------------------------------------|---|-------------|--|--|-------|
|                                       |   |             | 67/548/EEC   | Regulation (EC) No. 1272/2008 [CLP]  |       |
| 3-iodo-2-propynyl butylcarbamate      | EC: 259-627-5<br>CAS: 55406-53-6  | ≥0,3 - <1   | T; R23, R48/23<br>Xn; R22<br>Xi; R41<br>R43<br>N; R50  | Acute Tox. 4, H302<br>Acute Tox. 3, H331<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317<br>STOT RE 1, H372 (throat)<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 | -     |
| ammonia                               | REACH #: 01-2119488876-14<br>EC: 215-647-6<br>CAS: 1336-21-6<br>Index: 007-001-01-2 | ≥0,1 - <0,3 | C; R34<br>N; R50   | Skin Corr. 1B, H314<br>STOT SE 3, H335<br>Aquatic Acute 1, H400  | B     |
| cobalt bis(2-ethylhexanoate)          | EC: 205-250-6<br>CAS: 136-52-7  | ≥0,1 - <0,3 | Repr. Cat. 3; R62<br>Xi; R36<br>R43<br>N; R50/53   | Eye Irrit. 2, H319<br>Skin Sens. 1, H317<br>Repr. 2, H361f (Fertility)<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410   | -     |
| 2-hydroxyethyl methacrylate           | EC: 212-782-2<br>CAS: 868-77-9<br>Index: 607-124-00-X                               | ≥0,1 - <0,3 | Xi; R36/38<br>R43  | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317  | D     |
| 2,4,7,9-tetramethyldec-5-yne-4,7-diol | REACH #: 01-2119954390-39<br>EC: 204-809-1<br>CAS: 126-86-3                         | ≥0,1 - <0,3 | Xi; R41<br>R43<br>R52/53<br><br><b>See Section 16 for the full text of the R-phrases declared above.</b> | Eye Dam. 1, H318<br>Skin Sens. 1B, H317<br>Aquatic Chronic 3, H412<br><br><b>See Section 16 for the full text of the H statements declared above.</b>              | -     |

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Notes, if applicable, refer to Notes given in Annex VI of 1272/2008/EC.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**General** : In all cases of doubt, or when symptoms persist, seek medical attention. Show this safety data sheet or label to the doctor if possible.

**Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with plenty of lukewarm water, keeping eyelids open. Continue to rinse for at least 10 minutes.

**Inhalation** : Remove to fresh air.

**Skin contact** : Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.

**Ingestion** : If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious). If significant amounts have been swallowed or if symptoms persist, seek medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

Contains:

3-iodo-2-propynyl butylcarbamate

2,4,7,9-tetramethyldec-5-yne-4,7-diol

cobalt bis(2-ethylhexanoate)

2-hydroxyethyl methacrylate

May produce an allergic reaction.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire. Recommended: Alcohol resistant foam, CO<sub>2</sub>, powders or water spray/mist.

**Unsuitable extinguishing media** : Do not use a direct water jet that could spread the fire.

### 5.2 Special hazards arising from the substance or mixture

**Hazards from the substance or mixture** : This product is not classified as flammable. Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

**Hazardous thermal decomposition products** : When exposed to high temperatures, may produce hazardous decomposition products, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc.

### 5.3 Advice for firefighters

**Special protective actions for fire-fighters** : Use water spray to keep fire-exposed containers cool. This material is hazardous to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

**Special protective equipment for fire-fighters** : Appropriate breathing apparatus may be required.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures** : Refer to protective measures listed in sections 7 and 8.

**6.2 Environmental precautions** : Hazardous to aquatic environment. Do not allow to enter drains, water courses or soil.

**6.3 Methods and materials for containment and cleaning up** : Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Preferably clean with water or detergent. Avoid using solvents.

**6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

- 7.1 Precautions for safe handling** : Skin contact with the product and exposure to spray mist and vapor should be avoided. Avoid inhalation of dust from sanding. See Section 8 for information on appropriate personal protective equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled and stored. Wash hands before breaks and immediately after handling the product. Avoid release to the environment.
- Risk of self-ignition!** Materials such as cleaning rags and paper wipes, sanding dust and overspray containing the product, may spontaneously self-ignite some hours later. To avoid the risks of fires, all contaminated materials should be placed in a metal container filled with water and sealed or dried preferably outdoors or incinerated immediately. Contaminated materials should be removed from the workplace at the end of each working day and be stored outside.
- 7.2 Conditions for safe storage, including any incompatibilities** : Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Recommended storage temperature is +5°C ...+25°C. Do not allow to freeze. Store in accordance with local regulations.
- 7.3 Specific end use(s)** : None.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

#### DNELs/DMELs

No DNELs/DMELs available.

#### PNECs

No PNECs available.

### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Comply with the health and safety at work laws.

#### Individual protection measures

- Eye/face protection** : Safety eyewear should be used when there is a likelihood of exposure. Use safety eyewear (EN166), especially during spray-application.
- Hand protection** : Wear protective gloves. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.  
Recommended glove material (EN374):  
> 8 hours (breakthrough time): nitrile rubber  
Not recommended: PVA gloves
- Skin protection** : Wear appropriate personal protective clothing to prevent skin contact.
- Respiratory protection** : If ventilation during spray-application is inadequate, use respirators with combination filter AP, gas/dust filter (EN405:2001). Wear a respirator with type P2 filter during sanding (EN149:2001). Be sure to use an approved/certified respirator or equivalent. Check that mask fits tightly and change filter regularly.

**Environmental exposure controls** : For information regarding environmental protection measures, please refer to section 13 for waste handling, section 7 for handling and storage and section 1.2 for relevant identified uses of the substance or mixture and uses advised against.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

|  |  |
|--|--|
| Physical state                               | : Liquid.  |
| Color  | : Coloured   |
| Odor   | : Mild.  |
| Odor threshold                               | : Not relevant for the hazard assessment of the product. |
| pH   | : Not relevant for the hazard assessment of the product. |
| Melting point/freezing point                 | : Not available.   |
| Initial boiling point and boiling range      | : Not available.   |
| Flash point                                  | : >100 °C  |
| Evaporation rate                             | : Not available.   |
| Flammability (solid, gas)                    | : Not applicable. Product is a liquid.                   |
| Upper/lower flammability or explosive limits | : Not available.   |
| Vapor pressure                               | : Not available.   |
| Vapor density                                | : Not available.   |
| Density                                      | : 1 g/cm <sup>3</sup>                                    |
| Solubility(ies)                              | : Miscible in water.                                     |
| Partition coefficient: n-octanol/water       | : Not available.   |
| Auto-ignition temperature                    | : Not available.   |
| Decomposition temperature                    | : Not relevant for the hazard assessment of the product. |
| Viscosity                                    | : Not relevant for the hazard assessment of the product. |
| Explosive properties                         | : No explosive ingredients present.                      |
| Oxidizing properties                         | : No oxidizing ingredients present.                      |

### 9.2 Other information

No additional information.

## SECTION 10: Stability and reactivity

- 10.1 Reactivity** : See Section 10.5.
- 10.2 Chemical stability** : Stable under recommended storage and handling conditions (see Section 7).
- 10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4 Conditions to avoid** : Avoid extreme heat and freezing.
- 10.5 Incompatible materials** : Keep away from the following materials to prevent strong exothermic reactions:  
oxidizing agents  
strong acids  
strong alkalis
- 10.6 Hazardous decomposition products** : When exposed to high temperatures, hazardous decomposition products may be produced, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

There is no testdata available on the product itself.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Long term exposure to spray mist may produce respiratory tract irritation. Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

#### Acute toxicity

| Product/ingredient name          | Result    | Species | Dose       | Exposure |
|----------------------------------|-----------|---------|------------|----------|
| 3-iodo-2-propynyl butylcarbamate | LD50 Oral | Rat     | 1470 mg/kg | -        |

Not classified.

#### Irritation/Corrosion

Not classified.

#### Sensitization

The product is not classified as sensitizing by skin contact, but it contains following preservatives or other biocides which may produce an allergic reaction:

3-iodo-2-propynyl butylcarbamate

Contains small amounts of sensitizing substances:

2,4,7,9-tetramethyldec-5-yne-4,7-diol

cobalt bis(2-ethylhexanoate)

2-hydroxyethyl methacrylate

#### Mutagenicity

Not classified.

#### Carcinogenicity

Not classified.

#### Reproductive toxicity

Not classified.

#### Teratogenicity

Not classified.

#### Specific target organ toxicity (single exposure)

Not classified.

#### Specific target organ toxicity (repeated exposure)

Not classified.

#### Aspiration hazard

Not classified.

## SECTION 12: Ecological information

Ecological testing has not been conducted on this product.

Do not allow to enter drains, water courses or soil.

The product is classified as environmetally hazardous according to Regulation (EC) 1272/2008.

Harmful to aquatic life with long lasting effects.

### 12.1 Toxicity

| Product/ingredient name                 | Result           | Species                         | Exposure |
|---|------------------|---------------------------------|----------|
| 3-iodo-2-propynyl butylcarbamate        | EC50 0,053 mg/l  | Algae                           | 72 hours |
|   | EC50 0,16 mg/l   | Daphnia                         | 48 hours |
|   | LC50 0,067 mg/l  | Fish                            | 96 hours |
|   | NOEC 0,0046 mg/l | Algae - Scenedesmus subspicatus | 72 hours |
| ammonia<br>cobalt bis(2-ethylhexanoate) | NOEC 0,05 mg/l   | Daphnia - Daphnia magna         | 21 days  |
|   | NOEC 0,0084 mg/l | Fish - Pimephales promelas      | 35 days  |
|   | LC50 0,53 mg/l   | Fish                            | 96 hours |
|   | IC50 0,528 mg/l  | Algae                           | 72 hours |

|                                       |              |  |          |
|---------------------------------------|--------------|--|----------|
| 2,4,7,9-tetramethyldec-5-yne-4,7-diol | EC50 82 mg/l | Algae - Selenastrum capricornutum<br>Daphnia | 72 hours |
|                                       | EC50 91 mg/l |  | 48 hours |

**12.2 Persistence and degradability** : No specific data.

**12.3 Bioaccumulative potential**

| Product/ingredient name      | LogP <sub>ow</sub> | Bioconcentration factor [BCF] | Potential |
|------------------------------|--------------------|-------------------------------|-----------|
| cobalt bis(2-ethylhexanoate) | -                  | 15600                         | high      |

**12.4 Mobility in soil**

Soil/water partition coefficient (K<sub>oc</sub>) : Not available.

Mobility : Not available.

**12.5 Results of PBT and vPvB assessment**

PBT : Not applicable.

vPvB : Not applicable.

**12.6 Other adverse effects** : Not available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Product**

**Methods of disposal** : Gather residues into waste containers. Liquid residue and cleaning liquids are hazardous waste and must not be emptied into drains or sewage system, but handled in accordance with national regulations. Product residues should be left at special companies which have permission for gathering this kind of wastes.

**European waste catalogue (EWC)**

| Waste code | Waste designation   |
|------------|---|
| 08 01 11*  | waste paint and varnish containing organic solvents or other dangerous substances |
| 08 01 12   | waste paint and varnish other than those mentioned in 08 01 11                    |

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

**Packaging**

**Methods of disposal** : Empty packaging should be recycled or disposed of in accordance with national regulations.

**Special precautions** : **Risk of self-ignition!** Materials such as cleaning rags and paper wipes, sanding dust and overspray containing the product, may spontaneously self-ignite some hours later. To avoid the risks of fires, waste like this should be placed in a metal container filled with water and sealed before disposal, or dried preferably outdoors or incinerated immediately.

**SECTION 14: Transport information**

This product is not regulated for carriage according to ADR/RID, IMDG, IATA.



|                                 | ADR/RID        | IMDG           | IATA           |
|---------------------------------|----------------|----------------|----------------|
| 14.1 UN number                  | Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name    | -              | -              | -              |
| 14.3 Transport hazard class(es) | -              | -              | -              |
| 14.4 Packing group              | -              | -              | -              |
| 14.5 Environmental hazards      | No.            | No.            | No.            |
| Additional information          | -              | -              | -              |

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** : Not available.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Other EU regulations

Europe inventory : Not determined.

| Product/ingredient name       | Carcinogenic effects | Mutagenic effects | Developmental effects | Fertility effects          |
|-------------------------------|----------------------|-------------------|-----------------------|----------------------------|
| cobalt bis (2-ethylhexanoate) | -                    | -                 | -                     | Repr. 2, H361f (Fertility) |

**VOC Directive** : This product is in scope of Directive 2004/42/CE.

**15.2 Chemical Safety Assessment** : This product contains substances for which Chemical Safety Assessments are still required.

## SECTION 16: Other information

Indicates information that has changed from previously issued version.

**Abbreviations and acronyms** :

- ATE = Acute Toxicity Estimate
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EUH statement = CLP-specific Hazard statement
- PBT = Persistent, Bioaccumulative and Toxic
- PNEC = Predicted No Effect Concentration
- RRN = REACH Registration Number
- vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

**Classification**

**Justification**



Aquatic Chronic 3, H412

Calculation method

|   |   |
|---|---|
| <b>Full text of abbreviated H statements</b>  | : H302 Harmful if swallowed.<br>H314 Causes severe skin burns and eye damage.<br>H315 Causes skin irritation.<br>H317 May cause an allergic skin reaction.<br>H318 Causes serious eye damage.<br>H319 Causes serious eye irritation.<br>H331 Toxic if inhaled.<br>H335 May cause respiratory irritation.<br>H361f Suspected of damaging fertility.<br>(Fertility)<br>H372 Causes damage to organs through prolonged or repeated exposure.<br>(throat) (throat)<br>H400 Very toxic to aquatic life.<br>H410 Very toxic to aquatic life with long lasting effects.<br>H412 Harmful to aquatic life with long lasting effects.   |
| <b>Full text of classifications [CLP/GHS]</b> | : Acute Tox. 3, H331 ACUTE TOXICITY (inhalation) - Category 3<br>Acute Tox. 4, H302 ACUTE TOXICITY (oral) - Category 4<br>Aquatic Acute 1, H400 AQUATIC HAZARD (ACUTE) - Category 1<br>Aquatic Chronic 1, H410 AQUATIC HAZARD (LONG-TERM) - Category 1<br>Aquatic Chronic 3, H412 AQUATIC HAZARD (LONG-TERM) - Category 3<br>Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1<br>Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2<br>Repr. 2, H361f (Fertility) TOXIC TO REPRODUCTION (Fertility) - Category 2<br>Skin Corr. 1B, H314 SKIN CORROSION/IRRITATION - Category 1B<br>Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2<br>Skin Sens. 1, H317 SKIN SENSITIZATION - Category 1<br>Skin Sens. 1B, H317 SKIN SENSITIZATION - Category 1B<br>STOT RE 1, H372 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (throat) - Category 1<br>STOT SE 3, H335 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 |
| <b>Full text of abbreviated R phrases</b>     | : R62- Possible risk of impaired fertility.<br>R23- Toxic by inhalation.<br>R48/23- Toxic: danger of serious damage to health by prolonged exposure through inhalation.<br>R22- Harmful if swallowed.<br>R34- Causes burns.<br>R41- Risk of serious damage to eyes.<br>R36- Irritating to eyes.<br>R36/38- Irritating to eyes and skin.<br>R43- May cause sensitization by skin contact.<br>R50- Very toxic to aquatic organisms.<br>R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.<br>R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  |
| <b>Full text of classifications [DSD/DPD]</b> | : Repr. Cat. 3 - Toxic to reproduction category 3<br>T - Toxic<br>C - Corrosive<br>Xn - Harmful<br>Xi - Irritant<br>N - Dangerous for the environment   |
| <b>Date of issue/ Date of revision</b>        | : 12-05-2015.   |
| <b>Date of previous issue</b>                 | : No previous validation.   |
| <b>Version</b>                                | : 1   |
| <b>Notice to reader</b>                       |   |

**This Safety Data Sheet is prepared in accordance with Annex II (EU) No 453/2010 to Regulation (EC) No 1907/2006 (REACH). The information contained in this Safety Data Sheet is based on the present state of knowledge and current EU and national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.**